

### Shanghai Hengxiang Optical Electronics Co.,Ltd

Rotary Encoder

## Specifications 1/9




#### Incremental Type (Through shaft)

- Feature: PN35 has a mechanical soft connection structure, which is unique designed with photoelectric induction and ultra-thin overall. With an LED to indicate the zero position of the encoder, it's also easy to install and debug, various of shaft holes available, dust-proof protection, and can solve problems for encoders in high runout motor shaft and installation in limited spaces.
- Application: servo motor, robot etc.
- External dimensions: external diameter 35mm,thicknes 15mm,hollow shaft up to Ø8mm
- Induction type: photoelectric Resolution: up to 5000P/R Supply voltage: DC5V; DC8-30V

Protection: IP50

Radial connector: E=SM08B-GHS-TB Radial cable: cable length 1 meter(standard)


Weight: about 70g



PN35-J

#### Model Guide


Model form (filled required parameters in the blank as following)



## Specifications 2/9



### Output Mode



# Specifications 3/9



### ■ Electrical Specifications

Parameter Output type Item			ос	TTL	TTL (Less wiring type)	HTL				
Supply voltage			DC5V & 8-30±5%	DC+5V±5%	DC8-30V±5%					
Consumption cu	ırrent		120mA Max	120mA Max						
Top response frequency			100KHz	500KHz	800KHz					
	Output current		≤±30mA	≤±20mA	≤±50mA					
Output capacity	Output voltage	"H"	_	≥2.5V	≥Vcc-3 VDC					
	Output voltage	"L"	≤0.4V	≤0.5V	≤ 1V Vpc					
Rise. Fall time			Less than 1us(cable length: 2m)							
Delay motion time *			_	_						
Shielding			not connected to the encoder, must be effectively connected to GND							

<sup>\*</sup> Delayed time for A.B.Z delay U.V.W when power on.

### ■ Mechanical Specifications

Hollow shaft Ø	Ø6mm; Ø8mm(optional)
Starting torque	Less than 5×10 <sup>-3</sup> N⋅m
Inertia moment	Less than 1.5×10 <sup>-6</sup> kg·m²
Shaft load	Radial 20N; Axial 15N
Slew speed	≤10000 rpm
Shell	Aluminium alloy
Weight	About 70g

## ■ Environmental Specifications

Environmental temperature	Operating: -20~+95°C; Storage: -25~+100°C					
Environmental humidity	Operating and storage: $35{\sim}85\%$ RH (noncondensing)					
Protection	IP50					

# Specifications 4/9



## ■ Cable connection table

### Wiring table 1

Color	White	_	Green	_	Yellow	-	Red	Black
Pin No.	Pin1	Pin2	Pin3	Pin4	Pin5	Pin6	Pin7	Pin8
Function	Α	-	В	-	Z	-	+DC	OV

### Wiring table 2

Color	White	White/ Black	Green	Green/ Black	Yellow	Yellow/ Black	Red	Black
Pin No.	Pin1	Pin2	Pin3	Pin4	Pin5	Pin6	Pin7	Pin8
Function	Α	Ā	В	B	Z	Z	+DC	OV
Twisted-paired cable		7	\.\.	7		7		7

### Wiring table 3 (Less wiring type)

		`		· · · ·						
	Color Pin No.		White	White/ Black	Green	Green/ Black	Yellow	Yellow/ Black	Red	Black
			Pin1	Pin2	Pin3	Pin4	Pin5	Pin6	Pin7	Pin8
1		1	HZ	HZ	HZ	HZ	HZ	HZ		
	Mode	2	U	Ū	V	V	W		+DC	ov
		3	Α	Ā	В	B	Z	Z		
	Twisted-paired cable			$\frac{1}{2}$		7	777			777


### Wiring table 4

ŭ														
Color	Blue	Blue/ Black	Gray	Gray/ Black	Pink	Pink/ Black	Yellow	Yellow/ Black	Green	Green/ Black	White	White/ Black	Black	Red
Function	U	Ū	V	$\overline{V}$	W	W	Z	Z	В	B	Α	Ā	OV	+DC
Twisted-paired cable				7		7	}	7		777		7		3


## Specifications 5/9



#### Connector




#### ■ Radial Cable Schematic




## Specifications 6/9



### Basic Dimensions



### Specifications for Mounting shaft



#### Unit: mm



= Rotate direction of incremental TTL & HTL signal output shaft

= Rotate direction of OC signal output shaft

## Specifications 7/9




### Assembling steps for encoder with UVW signal

#### Step 1

- a. Before installing the encoder, first to confirm the starting zero position of the motor and lock it tightly to ensure that the motr shaft is not moving until the encoder is finished installation, otherwise the encoder and the motor's zero position cannot be aligned.
- b. Put the encoder (2) directly on the motor shaft and gently push it to the motor platform by hand.
- Screwed the two M2.5\*6 bolts (3) at the same time, but do not tighten, just enough to rotate the encoder by hand.

#### Note:

Please refer to page 6 for the matching tolerance of the encoder shaft sleeve and the motor shaft.




#### Step 2

- a. Fix the spanner (A) on the slot of the encoder shaft sleeve (outer ring) and then use the spanner (B) to tighten the lock nut (recommended tightening force is 7-10nm).
- b. Pls refer to the cable connection table on page 4-5, power on after checking all are correct, please confirm again that the motor is in the zero locked state, and then turn the encoder (2) left and right by hand, observe the LED on the encoder, when it is on, the zero signal is aligned, then tighten the two M2.5\*6 bolts (3) and keep the LED on.

#### Note:

- The red mark on the shaft sleeve is always aligned with the LED indicator.
- \*. After making sure that the lock nut has been tightened, put thread glue on the inner thread of the slot to prevent the screw from loosening.
- \*. Because the width of the zero signal is relatively narrow, it is easy to cause displacement during the tightening process and the LED may not light up. please be patient to debug or use other testing equipments as auxiliary observation.



## Specifications 8/9




### Assembling steps for encoder without UVW signal

#### Step 1

Put the encoder (2) directly on the motor shaft (1) and gently push it to the motor platform, then tighten the two M2.5\*6 bolts (3) at the same time.

#### Note:

Please refer to page 6 for the matching tolerance of the encoder shaft sleeve and the motor shaft.




#### Step 2

Fix the spanner (A) on the slot of the encoder shaft sleeve (outer ring) and then use the spanner (B) to tighten the lock nut (recommended tightening force is 7-10nm).

#### Note:

- \*. The red mark on the shaft sleeve aligned with the LED indicator is regarded as the zero primary position. when the LED light is on, this will be the final precise zero position.
- \*. After making sure that the lock nut has been tightened, put thread glue on the inner thread of the slot to prevent the screw from ioosening.



## Specifications 9/9

#### Caution

- 1. Caution for Operation
- The working temperature shall not exceed the storage temperature.
- The working humidity shall not exceed the storage humidity.
- Do not use where the temperature changes dramatically and have fog.
- Do not close to corrosive and flammable gas.
- · Keep away from dust, salt and metal powder.
- Keep away from places where you will use water, oil, or medicine.
- Undue vibration and shock will impact the encoder.

#### 2. Caution for Installation

- Please follow the installation steps in page 7-8
- Electrical components shall not be over-voltage or other phenomena. please conduct electrostatic assessment of the setting environment.
- Do not close the cable of the motor power to the encoder.
- The FG wire of the motor and mechanical device should be grounded.
- Perpendicularity between the motor mounting platform and the motor shaft must meet the requirements.
- The shielding wire must be effectively grounded since the shielding is not connected to the encoder.
- In order to keep the encoder stable against the electromagnetic insulation, the soft magnetic material (soft iron) is used as the encoder's outer cover, to prevent affecting from the external current magnetic field generated.

#### 3. Caution for Wiring

- Use the encoder under the specified supply voltage. please note that the supply voltage range may drop due to the wiring length.
- Please do not put the encoder wires and other power lines in one pipe or binding together.
- Please use twisted pair wires for the signal and power wires of encoder.
- Please do not apply excessive force to the cable of encoder, or it will may be damaged.